RICH PICKINGS





DO SOME ESTIMATING

Colin Foster believes that money can provide a powerful opportunity for estimation problems in which learners can gain a sense of scale

A million pounds sounds like a lot of cash, but exactly how much is it really? Converting a vague notion of 'wealth' or 'riches' into actual pound coins can be an extremely useful and engaging way of encouraging learners to carry out estimations involving large numbers, mass and volume, as this lesson demonstrates...

STARTER ACTIVITY

Q: Has anyone ever seen or met a millionaire? If you had a million pounds, what would you do with it? Once learners have got into the context a little, you could ask:

Q: How big is a million? A million has six zeroes: 1000 000.

Q: Can you imagine a million pounds? Suppose I gave you a million pounds - in pound coins, of course! Would it fit in your bag? How many trips home would you have to make







to take it all away? What if you had a lorry? Could you get it into one van? Would it even fit in this classroom?

Encourage learners to give their gut reactions. They could do this orally or perhaps on


mini-whiteboards. It doesn't matter if what they say is wrong - don't try to correct them at this stage. In this lesson we are going to try to do some calculations to answer these sorts of questions.

+ KEY RESOURCE

GCSE REVISION CARDS

Set of 48 GCSE FOUNDATION ISBN: 978-0-06588-71-0 Set of 80 GCSE HIGHER ISBN: 978-0-906588-75-8

These packs of cards from the Mathematical Association are designed to enable students to master the key facts they need to know for the GCSE mathematics examination. Diagrams and colour are used to make facts clear and memorable. The 'notes' box on the back of each card allows students to personalise the revision aid. The Higher Set contains all the cards in the Foundation Set plus 32 extra cards at the higher level. For more information, visit m-a.org.uk, call 0116 221 0013, or email sales@m-a.org.uk





MAIN ACTIVITIES

Q: What information do you think we need if we are going to answer these sorts of questions? How do you think we could we get it?

If learners have access to the internet, they could hunt for relevant information themselves.

Alternatively, provide them with the details below. They must select what is important to answer the question that they have chosen. They could work in groups on their solutions.



The United Kingdom £1 Coin

Issued Diameter 21 April 1983 22.5mm

Thickness Mass 9.5 g 3.15mm

Composition

Nickel-Brass (70% copper, 5.5% nickel, 24.5% zinc)

(source: royalmint.com/en/dis cover/uk-coins/coin-design-andspecifications/one-pound-coin)

Learners may not know formulae such as $C = 2\pi r$ and $A = \pi r^2$ for the circumference and area of a circle. If you wish, you could tell them those formulae; however, for an estimation problem like this, approximating cylindrical coins as cuboids would be accurate enough.

How much would they weigh?

A million coins would have a mass of 1 000 000 \times 9.5 g = 9500kg = 9.5 tonnes. This is about as much as a bus!

their packs.' (kidshealth.org/p arent/firstaid_safe/outdoor/bac kpack.html)

Supposing a typical child has a mass of, say, 50 kg, that means that he could carry up to 7.5 kg at a time. So he would need to make 9500/7.5 = about 1000 trips!

Q: How much money would you be taking home each time?

7.5 kg of pound coins is worth 7500/9.5 = about £800. Yourparents would be pleased!

But would they all fit in your bag ..?

that because there are 1000 mm in 1 m there must be 1000 mm³ in 1 m³, which is incorrect. In fact, there are $1000^3 = 1000000000$ mm³ in 1 m³. Similarly, converting to cm³ means dividing the number of mm³ by 10³, not by 10. Unless you want to address volume scale factors explicitly, it would be easier for students to convert the measurements from mm to cm while they are still lengths, before doing any calculations.

Bearing in mind that the coins are cylindrical, and therefore will not pack perfectly, this total volume will be an underestimate for the

INFO BAR

+ ADDITIONAL RESOURCES

+ THERE ARE SOME
INTERESTING LESSON IDEAS
TO DO WITH MONEY AT
TINYURL.COM/TSROYALMINT AND
AT TINYURL.COM/TSMONEYGAME.

+ STRETCH THEM FURTHER

+ CONFIDENT LEARNERS COULD THINK ABOUT DIFFERENT COINS. HOW LONG WOULD IT TAKE TO GET ONE MILLION POUNDS HOME IF IT WERE IN PENNIES?! IF IT WERE IN £50 NOTES INSTEAD, COULD THEY FIT THEM ALL IN THEIR POCKETS? THERE IS USEFUL DATA AT TINYURL.COM/TSROYALMINT2.

+ ABOUT THE EXPERT



Colin Foster is a
Senior Research
Fellow in
Mathematics
Education in the
School of Education
at the University of
Nottingham, and has
written many books
and articles for
mathematics teachers

space they will actually fill.

Alternatively, treating each coin as sitting within a 2.25 cm x 2.25 cm x 0.315 cm cuboid box might be better. It could be interesting if different groups of learners tackle the problem in different ways, as this can make for a rich discussion at the end of the lesson.

The answers obtained should be in the vicinity of 1 600 000 cm³ = 1600 litres. This means that about 1000 would fit in a typical 2-litre soft drinks bottle, and 800 such bottles would be needed!

3

Q: How much is your mass in pound coins worth?

(If learners work on this problem, it is clearly important to be aware of anyone who might be sensitive to issues associated with their mass. Learners need to learn how to be careful of others' feelings, so this doesn't necessarily rule out using this problem.)

A typical 50 kg learner would have the same mass as 50 000/9.5 coins = £5300. If they are disappointed that it isn't more, they could investigate the cost of gold and work out their mass in gold!

Q: Might your mass be 'worth more' with a different coin? Although 50 pence coins are worth less, they weigh less too.

HOME LEARNING

Learners could extend this task by considering a billionaire instead of a millionaire. They don't need to start from scratch – they just need to scale up their answers by a factor of 1000.

SUMMARY

You could conclude the lesson with a plenary in which learners talk about the calculations that they have done and what they have found out. Other learners might challenge some of the conclusions if they find them unbelievable, and this could lead to examining each other's methods more carefully. Where students have different answers, are they *reasonably* different, bearing in mind the assumptions made, or has someone made an error or implausible approximation?



(www.foster77.co.uk).